

## webOS, Pro: Centric SMART Slim Direct LED IPTV

Single Tuner with Integrated Pro:Idiom®

55LY760H
55" class (54.64" diagonal)
47LY760H
47" class (46.96" diagonal)
42LY760H
42" class (41.92" diagonal)



# Pro:Centric<sup>®</sup> Smart IPTV

## Guest Device Pairing and Content Sharing, IP & RF Connectivity, Smart Apps.

#### SECOND SCREEN CONNECTIVITY / SHARING

#### SMARTSHARE

The LY760H is designed for "second screen" support and options includes Wi-Di™, Wi-Fi Direct™ and Smart Mirroring technologies, which are used to pair guests' mobile devices with the TV enabling them to share and view their content on the large HD screen.



#### **REMOTE DIAGNOSIS**

LG's IPTV's support enhanced diagnostics tools, enabling remote monitoring and fault analysis of the TVs and content delivery system via partner's application.



Life's Good



LG Pro:Centric<sup>®</sup> Smart offers SI's the ability to customize and optimize a property's TVs with interactive IPbased applications including HTML5, Java and Flash programs. With this expansion of control comes the ability to provide premium hotel services without the need for a separate set-top box. Additionally, enhanced connectivity and second-screen sharing are available to the guests with LG Smart TV technology.

CUSTOMIZABLE UI



#### STORY AUTO-DELETE

LG's commercial grade IPTV's automatically delete guests private logon credentials from embedded applications at power-off and also provides a further level of control for SI partners applications via the HCAP middleware layer to control deletion at guest check-out time.



PRE-LOADED APPLICATIONS

Embedded Applications include: Accuweather, Google Maps, Web Browser, Youtube, and vtuner (other applications may be added in the future, subject to licensing terms).



#### WEB BROWSER

Let your guests surf the internet just like at home with LG's optional easyto-use 'Magic' Remote Control and embedded web-browser function.



# Pro:Idiom

#### GLOBAL LEADING DIGITAL RIGHTS MANAGEMENT SOLUTION

Pro:ldiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is intended to lower costs and reduce maintenance. This leading DRM system is embraced for its security solution, prevents illegal copying of copyrighted content.

#### REDUCED TOTAL COST OF OWNERSHIP



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.

Express Script's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

#### EFFECTIVELY MANAGE IN-ROOM TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one-by-one.

#### Pro:Centric APPLICATIONS PLATFORM

The LY760H is the latest in the line of Pro:Centric Televisions that provide an unique and dedicated hotel data broadcasting platform for hosting of LG's SIs (System Integrator's) interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LY760H extends the choice of applications available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LY760H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform has built-in STB (Set Top Box) client software in the TV, eliminating the need for additional STB hardware.

The LY760H supports embedded Wi-Fi for streaming content to the Television or back channel communications.

The LY760H platform includes support tools for the SIs to manage systems such as remote logging enabling monitoring of the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The instant ON/WARM mode feature allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head-end server and quick boot-up of embedded applications.

#### The LY760H Pro:Centric Applications Platform



Main Welcome Portal



Channel Guide Simple Channel List: Select the broadcast logo to watch



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Language Access the system in multiple languages for international guest service from various nations.

# FREE INTERACTIVE ELECTRONIC PROGRAM GUIDE SERVICE FOR Pro:Centric® TVs!

#### PLAN HIGHLIGHTS

If your property has purchased or plans to purchase LG's Pro:Centric TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG)



FREE program guide service runs until December 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp

#### LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in Free-To-Guest hotel installations, the Pro:Centric server (PCS-200R) supports remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

Save time and labor using LG's PCS200R remote management option which eliminates the necessity of visiting individual rooms to change television settings.

#### Hotel Costs For Free-To-Guest Channel Management

|  | Estimated<br>Labor Costs  | MSRP                  | Total    | Savings over other brand |
|--|---|-----------------------|----------|--------------------------|
| Other brand                                | \$20 (est.) x 2 times per year<br>(to update channels)<br>x 100 rooms x 5 years |                       | \$20,000 |                          |
| LG Pro:Idiom TV with<br>Pro:Centric Server |   | \$2,499<br>(PCS-200R) | \$2,499  | \$17,501                 |

MSRP subject to change. Installation not included.

PCS-200R HEAD-END SYSTEM




Remote management functions are also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)


LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.


#### SMART TECHNOLOGY

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- CEC Compliant Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances. •
- Energy Star 6.1 Qualified Meets current Environmental Protection Agency's television product specifications.


55LY760H









42LY760H







400mm





42LY760H



REAR JACK PANEL









The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Credenza and Lock Down Plate.

Kensington Lock ·LG Hotel TVs are protected by the reliable solution the Kensington Lock.



#### NEW! Reinforced Metal Stand · Full metal reinforced stand to improve

sturdiness, durability and safety • Provides ( 20°) Swivel out of the box Provides ( 20/45/90°) Swivel when used with Lock Down plate.



#### Lock Down Plate with Credenza Hole Lock the TV firmly to the TV stand for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included)



SIDE JACK PANEL

USB IN 2

(THU) E NI IME

(38K) 2 VII ITTER

## webOS, Pro: Centric SMART Slim Direct LED IPTV

Single Tuner with Integrated Pro:Idiom®

## > 55LY760H 55" class (54.64" diagonal) ▶ 47LY760H 47" class (46.96" diagonal)



42LY760H

▶ 42LY760H

42" class (41.92" diagonal)

Model

| DANEL                  | Model   | 55LY760H   | 47LY760H                               | 42LY760H             |
|------------------------|---|--|--|----------------------|
| PANEL                  | Panel Technology  |  | Direct LED                             |                      |
|                        | Panel Size  | 55"Class(54.64")   | 47"Class(4696")                        | 42"Class(41.92")     |
|                        | Native Resolution   | . ,  | 1920 x 1080 (FHD)                      | . ,                  |
|                        | Brightness (cd/m <sup>2</sup> )                               | 258cd/m <sup>2</sup>   | 225cd/m <sup>2</sup>                   | 242cd/m <sup>2</sup> |
|                        | Dynamic Contrast Ratio (Dynamic<br>MCI (Hz))                  |  | 2,000,000:1                            |                      |
|                        | Static (Panel) Contrast Ratio                                 |  | 1,200:1                                |                      |
|                        | Viewing Angle (HxV)   | 178°/178°  |  |                      |
|                        | Response Time   | 8ms  |  |                      |
|                        | Frame Rate  | 60Hz   |  |                      |
| VIDEO                  | Triple XD Engine  | Yes  |  |                      |
|                        | Dynamic Color Enhancer  | Yes  |  |                      |
|                        | Real Cinema 24p<br>(3:3 pull down)                            | Yes  |  |                      |
|                        | Aspect Ratio  | Yes, 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom)                                      |  |                      |
| Broadcasting<br>System | Analog  |  | Yes (NTSC)                             |                      |
|                        | Digital<br>Audio Outout                                       | Yes (ATSC /QAM/VSB)  |  |                      |
| AUDIO                  | Audio Output<br>Audio Output                                  | 10W + 10W  |  |                      |
|                        | Sound Mode  | 2.0 ch   |  |                      |
|                        | Smart Sound Mode  | Yes, 6 modes (Standard, News, Music, Cinema, Sport, Game)<br>Yes                               |  |                      |
|                        | Optical Sound Sync  | Yes  |  |                      |
|                        | Wireless Sound Sync   | Ready  |  |                      |
|                        | apt-X codec   | Yes  |  |                      |
|                        | Sound Expansion   | Yes  |  |                      |
|                        | Sound Optimizer   | Yes, 3 modes (Off, Wall-Mount Type, Stand Type)  |  |                      |
|                        | Clear Voice II  |  | Yes                                    |                      |
| SPECIAL                | Pro:Centric   |  | Yes (Smart)                            |                      |
| FEATURES               | WebOS   |  | Yes                                    |                      |
|                        | HCAP (GEM/FLASH/HTML)   |  | Yes                                    |                      |
|                        | Commercial Smart Home   |  | Yes                                    |                      |
|                        | Applications<br>(Pro:Centric Smart)                           |  | Yes                                    |                      |
|                        | Web Browser   |  | Yes                                    |                      |
|                        | Smart Share   |  | Yes                                    |                      |
|                        | MHL   |  | Yes                                    |                      |
|                        | WiDi (PC to TV)   |  | Yes                                    |                      |
|                        | Miracast (Mobile to TV)                                       |  | Yes                                    |                      |
|                        | WiFi Direct   | Yes  |  |                      |
|                        | Remote Diagnosis  |  | Yes                                    |                      |
|                        | EzManager<br>HDMI-CEC   | Yes  |  |                      |
|                        | HTNG-CEC  |  | Yes                                    |                      |
|                        | Built-In WiFi   | Yes  |  |                      |
|                        | DRM   | Yes (Pro:Idiom)  |  |                      |
|                        | Welcome Screen  | Yes  |  |                      |
|                        | Logical Channel Map   | Yes  |  |                      |
|                        | Multi IR Code   | Yes  |  |                      |
|                        | Installer Menu  | Yes  |  |                      |
|                        | USB Cloning   | Yes  |  |                      |
|                        | IR Out  | Yes (MPI Jack/RS232)   |  |                      |
|                        | External Speaker Out  | Yes (Variable/Fixed/Line Out, 3.5mm, Stereo, Single ended Type(GND,L+,R+), 1W with $8\Omega$ ) |  |                      |
|                        | RJP Compatibility   | Yes LG, Teleadapt (RJ45, HDMI CEC), G-Link(HDMI-CEC)   |  |                      |
|                        | USB   |  | Yes (USB 2.0)                          |                      |
|                        | Moving Picture Playback<br>(SD/HD/Plus HD)                    | Divx HD  |  |                      |
|                        | Picture   |  | JPEG                                   |                      |
|                        | The estimated annual energy cos<br>47LY760H, and 42LY760H are | st determined in accordan<br>517, \$12, and \$12 respect                                       | ce with 16 CFR Part 305.5 f<br>tfully. | for model 55LY760H,  |

47LY760H, and 42LY760H are \$17, \$12, and \$12 respectfully. "Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." <sup>1</sup>FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

| ECIAL<br>ATURES<br>DNT)  | Iviodel                                    | 55LY /60H                              | 4/LY/60H                     | 42LY /60H        |  |
|--|--|--|------------------------------|------------------|--|
|  | Kensington Lock                            |  | Yes (Stand)                  |                  |  |
|  | Credenza/Security Screw<br>Hole            | ity Screw Yes                          |                              |                  |  |
|  | Lock Down Plate<br>(for easy installing )  |  |                              |                  |  |
|  | Commercial Grade Stand                     | Yes                                    |                              |                  |  |
| ERFACE   | HDMI In                                    | 2 Side                                 |                              |                  |  |
| ERFACE<br>ide)   | USB (2.0)                                  | 1 Side                                 |                              |                  |  |
| ERFACE<br>ear)   | RF In                                      | 1 Rear                                 |                              |                  |  |
|  | AV In                                      | 1 Rear                                 |                              |                  |  |
|  | Digital Audio (Optical)                    | 1 Rear                                 |                              |                  |  |
|  | HDMI/HDCP Input                            | 1 Rear                                 |                              |                  |  |
|  | USB (2.0)                                  | 1 Rear                                 |                              |                  |  |
|  | PC Audio Input                             | 1 (Sharing with Composite Audio in)    |                              |                  |  |
|  |  | 1(                                     |                              | o in)            |  |
|  | RS-232 (D-sub 9 pin)                       |  |                              |                  |  |
|  | LAN Port                                   |  | 2 Rear                       |                  |  |
|  | RJP Interface (RI45)                       | 1 Rear                                 |                              |                  |  |
|  | External Speaker Out<br>(3.5mm Phone Jack) | 1 Rear                                 |                              |                  |  |
|  | PTC Configuration (Phone<br>Jack Type)     | In (Phone 1 Rear (Service)             |                              |                  |  |
|  | MPI Jack (RJ-12) 1 Rear                    |  |                              |                  |  |
|  | Bezel Width (L/R/U/B)(on)                  | 11mm, 11mm, 16.5mm                     |                              |                  |  |
|  | Bezel Width (L/R/U/B)(off)                 | /idth (L/R/U/B)(off) 8.5mm, 8.5mm, 14r |                              |                  |  |
|  | With Stand                                 | 48.9"x30.4"x128"                       | 42.2"x26.8"x128"             | 378"x243"x128"   |  |
|  | Weight                                     | 47.2 lbs                               | 34.6 lbs                     | 27.8 lbs         |  |
|  | Without Stand                              | 48.9" x 28.5" x 2.2"                   | 422"x248"x22"                | 37.8"x22.3"x2.2" |  |
|  | Weight                                     | 38.1 lbs                               | 27.1 lbs                     | 20.3 lbs         |  |
|  | Carton                                     | 52.4" x 32.7" x 7.5"                   | 45.3"x28.7"x6.4"             | 41.7"x28.7"x6.4" |  |
|  | Weight                                     | 56.9 lbs                               | 42.8lbs                      | 30.4 lbs         |  |
|  | Swivel                                     | Yes (± 20°)                            | with Lock Down plate ( $\pm$ | 20°/45°/90°)     |  |
|  |  | Color Metallic Titan                   |                              |                  |  |
|  | Flame Retardent Yes                        |  |                              |                  |  |
|  | VESA™ Standard 400mm x 400mm               |  |                              |                  |  |
| QUIRED   | Safety                                     | Safety cUL, UL, FCC, NOM               |                              |                  |  |
| STINGS   | RoHS                                       | Yes                                    |                              |                  |  |
|  | Energy Star 6.1                            |  | Yes                          |                  |  |
|  |  | 719192915893                           | 719192915909                 | 719192915916     |  |
|  | Power Source                               |  | 110 ~ 240V, 50/60Hz          |                  |  |
|  | Watts (Typical)                            | 68W                                    | 57W                          | 56W              |  |
|  | Stand-by                                   |  | 0.5W                         |                  |  |
|  | 2-Year Limited Warranty (Pa                | arts/Labor)                            |                              |                  |  |
| Mote Jack<br>Nel<br>Mpatibility (RJP)                                | CHINK CEREBING WORK Keeping Your World Co  |  |                              |                  |  |
| MPATIBLE<br>ERACTIVE<br>ITEMS<br>PARATE<br>-TOP BOX MAY<br>REQUIRED) |  | iga <sup>:</sup> <i>S</i> istrians 1   | SI                           |                  |  |
|  |  | nfovalue tannerin                      |                              | DirectStreame    |  |

55LY760H

47LY760H

| WEAALEN GOOD!              |                    | COMMONICATIONS SOL | SOLUTIONS                |  |
|----------------------------|--------------------|--------------------|--------------------------|--|
| acentic <sup>a</sup> x 🗱 i | nfovalue tangerine |                    | DirectStream             |  |
|                            | Pro:Gentric        | B Sma              | ert<br>re                |  |
| External Speaker Out       | Welcome Screen     |                    | .1 (() Speaker<br>System |  |
|                            |                    | ing Urn Idiam      |                          |  |

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2015 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of IG Corp. XD Engine, ProcCentric and EcoSmart are registered trademarks or trademarks of LG Electronics, Inc. Pro1diom and MPI are trademarks of Zenith Electronics Corp.

VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Loop and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC Dolby and the double by symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Oracle. Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. b-LAN is a trademark of DodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies.

Printed in the USA. March 2015

LED TV is LCD TV with LED backlighting

Life's Good LGsolutions.com

ENERGY

**GUIDE** 



LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069 Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com LG\_SPEC\_LY760H\_031509\_PR1