

# 2023 LG gram 14-inch

This all-new 2023 LG gram features 13th Gen Core® i7 and i5 Processors



#### 14Z90R Series

Windows 11 Pro (64bit)
Intel 13th Gen i7 / i5 Processor Options
16GB / 8GB System Memory Options
1TB / 512GB / 256GB SSD Storage Options
14.0" WUXGA (1920x1200) IPS Display
DCI-P3 99% Color Gamut
Intel Iris Xe Graphics
Trusted Platform Module (TPM) Security
HD Webcam with Dual Microphone
Dedicated Numeric Keypad
Ultra-thin 0.66" Thickness
Extremely Light 2.2 lbs.
Tough MIL-STD-810G Compliant

Combining a tough, lightweight magnesium alloy body with an ultra-thin form factor, excellent performance and great battery life, The new LG gram is the ultimate tool for the business traveler. This LG gram has been redesigned with 13th Gen Intel processors, narrower bezels on all four sides, a 16:10 aspect ratio while retaining its powerful 72 Wh battery.

**KEY FEATURES** 

# **Light Weight**

The LG gram 14-inch laptop offers awesome screen size without the weight. With gram's innovative design and construction, this laptop weighs just 2.2 pounds, so it's easy to take anywhere.



#### **Tough & Low Profile**

The sleek metal alloy body of the LG gram combines advanced nano carbon with magnesium to create a light weight yet durable housing for the computer that's still beautifully thin at 0.66" thick.

### Intel vPro®

For enterprises that need improved security, performance, and manageability, Intel vPro offers a potent platform. Intel vPro is an excellent part of selected LG gram models that has built-in hardware-based security features, remote management capability, and tremendous processing power.



# Long-Lasting Battery

Portability is a function of battery life in addition to size and weight, and this LG gram has been designed to keep going with up to 15.5 hours of power\* to hit deadlines and keep streaming long after others have quit.

# LG gram 14Z90R Series with Intel vPro®

# 14Z90R-Q.APB7U1

#### 14Z90R-Q.APB5U1

#### 14Z90R-Q.APB3U1

|   |                            | 14Z90R-Q.APB7U1  | 14Z90R-Q.APB5U1  | 14Z90R-Q.APB3U1  |
|---|----------------------------|--|--|--|
|   |                            | i7-1370P   | i5-1350P   | i5-1350P   |
|   |                            | 13th Gen Intel® Core™ Processor  | 13th Gen Intel® Core™ Processor  | 13th Gen Intel® Core™ Processor  |
|   |                            | with 12 Cores (4P+8E)  | with 12 Cores (4P+8E)  | with 12 Cores (4P+8E)  |
| Processor   |                            | 4 Performance Cores @ 2.2 GHz<br>with turbo up to 5.0 GHz  | 4 Performance Cores @ 1.9 GHz<br>with turbo up to 4.6 GHz  | 4 Performance Cores @ 1.9 GHz<br>with turbo up to 4.6 GHz  |
|   |                            | 8 Efficient Cores @ 1.6 GHz  | 8 Efficient Cores @ 1.4 GHz  | 8 Efficient Cores @ 1.4 GHz  |
|   |                            | with turbo up to 3.7 GHz   | with turbo up to 3.4 GHz   | with turbo up to 3.4 GHz   |
|   |                            | 18 MB Intel Smart Cache  | 12 MB Intel Smart Cache  | 12 MB Intel Smart Cache  |
| Operation System  |                            | Windows 11 Pro   | Windows 11 Pro   | Windows 11 Pro   |
| Intel vPro®   |                            | YES  | YES  | YES  |
| System Memory   |                            | 16GB LPDDR5<br>(Dual Channel, 6000MHz)   | 8GB LPDDR5<br>(Dual Channel, 6000MHz)  | 8GB LPDDR5   |
|   |                            | 1TB NVMe Gen4  | 512GB NVMe Gen4  | (Dual Channel, 6000MHz)  256GB NVMe Gen4   |
| Storage   | SSD                        | M.2(2280) Dual SSD slots   | M.2(2280) Dual SSD slots   | M.2(2280) Dual SSD slots   |
|   |                            | 14 in.   | 14 in.   | 14 in.   |
|   | Diagonal                   | 35.5 cm  | 35.5 cm  | 35.5 cm  |
|   | Resolution                 | WUXGA (1920 x 1200)  | WUXGA (1920 x 1200)  | WUXGA (1920 x 1200)  |
| Display   | Ratio                      | 16:10  | 16:10  | 16:10  |
| Display   | Panel Type                 | IPS Non Touch  | IPS Non Touch  | IPS Non Touch  |
|   | Refresh Rate               | 60Hz   | 60Hz   | 60Hz   |
|   | Brightness                 | 350 nits   | 350 nits   | 350 nits   |
| Graphics  | Color gamut                | DCI-P3 99% (Typical, min 95%)<br>Intel Iris Xe Graphics  | DCI-P3 99% (Typical, min 95%)<br>Intel Iris Xe Graphics  | DCI-P3 99% (Typical, min 95%)<br>Intel Iris Xe Graphics  |
|   |                            | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,   | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,   | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,   |
| Wireless  |                            | BT Combo)  | BT Combo)  | BT Combo)  |
| Bluetooth   |                            | BT 5.1   | BT 5.1   | BT 5.1   |
| Webcam  |                            | FHD IR Webcam with Dual Mic (Face recognition)   | FHD IR Webcam with Dual Mic (Face recognition)   | FHD IR Webcam with Dual Mic (Face recognition)   |
| Sound Effect  |                            | HD Audio with Dolby Atmos  | HD Audio with Dolby Atmos  | HD Audio with Dolby Atmos  |
| Speakers  |                            | 1.5W x 2   | 1.5W x 2   | 1.5W x 2   |
| Speakers  |                            | Stereo Speakers  | Stereo Speakers  | Stereo Speakers  |
| Security  |                            | SSD Security, fTPM/HW TPM(Option),   | SSD Security, fTPM/HW TPM(Option),   | SSD Security, fTPM/HW TPM(Option),   |
|   |                            | Slim Kensington lock   | Slim Kensington lock   | Slim Kensington lock   |
| Input   | Keyboard                   | Full Size 79-Key Backlit Keyboard  | Full Size 79-Key Backlit Keyboard  | Full Size 79-Key Backlit Keyboard  |
| Devices   |                            | Precision Touch Pad  | Precision Touch Pad  | Precision Touch Pad  |
|   | Pointing Device            | with Scroll and Gesture Functions  | with Scroll and Gesture Functions  | with Scroll and Gesture Functions  |
| Momory Cond   |                            | (111.6 × 69.6 mm)  | (111.6 x 69.6 mm)  | (111.6 x 69.6 mm)  |
| Memory Card   |                            |  | Micro SD   | Micro SD   |
| Welliory Card   | Headphone Out              | Micro SD 4-Pole 3.5mm Headset Jack   | Micro SD<br>4-Pole 3.5mm Headset Jack  | Micro SD<br>4-Pole 3 5mm Headset Jack  |
| Wellory Card  | Headphone Out USB Type A   | 4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)   | Micro SD<br>4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)   | Micro SD<br>4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)   |
| Connectivity  | USB Type A                 | 4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)<br>USB 4 Gen3x2 Type C (x2)   | 4-Pole 3.5mm Headset Jack  | 4-Pole 3.5mm Headset Jack  |
|   | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)<br>USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4   | 4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)<br>USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4   | 4-Pole 3.5mm Headset Jack<br>USB 3.2 Gen2x1 (x2)<br>USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4   |
|   | USB Type A                 | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI   |
|   | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-Ion  |
|   | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr   |
| Connectivity  | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-Ion  |
| Connectivity  | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  |
| Connectivity  | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable,   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable,   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable,   |
| Connectivity  Battery  AC Adapter   | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh.1-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  |
| Connectivity  Battery  AC Adapter  Buttons  | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint  |
| Connectivity  Battery  AC Adapter   | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   |
| Connectivity  Battery  AC Adapter  Buttons  | USB Type A USB Type C      | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable,  Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable,  Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm   |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2x1 (x2) USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4 HDMI 72 Wh Li-lon MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam   |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount! t' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12:28 x 8.42 x 0.66 in.   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount! t' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12:28 x 8.42 x 0.66 in.   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount "t 'type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.   |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions                                 | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm 12.28 x 842 x 0.66 in. 433 x 262 x 60 mm 17.1 x 10.4 x 2.4 in.  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 × 213.9 × 16.8 mm 12.28 × 8.42 × 0.66 in. 432 × 262 × 60 mm 17.1 × 10.4 × 2.4 in.  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g   |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm 12.28 x 8.42 x 0.66 in. 432 x 262 x 60 mm 17.1 x 10.4 x 2.4 in. 999 g 2.2 lbs.  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm 12.28 x 8.42 x 0.66 in. 432 x 262 x 60 mm 17.1 x 10.4 x 2.4 in. 999 g 2.2 lbs.   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions                                 | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable,  Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable,  Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight                         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable,  Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3   |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr 65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US) Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm 12.28 x 8.42 x 0.66 in. 432 x 262 x 60 mm 17.1 x 10.4 x 2.4 in. 999 g 2.2 lbs. 1.9 kg 4.2 lbs. Obsidian Black LG On Screen Display 3 Microsoft 365 (30 Days Trial) Dolby Atmos  | 4-Pole 3.5mm Headset Jack USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2) with USB PD, Display Port, Thunderbolt 4  HDMI 72 Wh Li-Ion MobileMark 2018: 15.5 hr Video playback: 24.5 hr JEITA 2.0: 28.5 hr  65W (New, Small size) 2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm 12.28 x 842 x 0.66 in. 432 x 262 x 60 mm 17.1 x 10.4 x 2.4 in. 999 g 2.2 lbs. 1.9 kg 4.2 lbs. Obsidian Black LG On Screen Display 3 Microsoft 365 (30 Days Trial) Dolby Atmos   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)   |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension)  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAFec Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)   | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 1.5.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAFee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  |
| Connectivity  Battery  AC Adapter  Buttons LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight         | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'l' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount "I type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial) Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals  LG Update & Recovery LG Glance by Mirametrix®  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-lon  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial) Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals  LG Update & Recovery LG Glance by Mirametrix®  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature: LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/icon)                      | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/ icon)           | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (×2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/ icon)           |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/ icon)  LG Display Extension | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3×2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial) Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals LG Update & Recovery LG Glance by Mirametrix® PCmover Professional New Wall paper LG Lively Theme (Wall-paper/ icon) LG Display Extension | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount 'I' type, for US)  Power button without Fingerprint Power, Charging, Caps Lock, webcam  312 x 213 9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial) Dolby Atmos Intel® Unision  McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals LG Update & Recovery LG Glance by Mirametrix® PCmover Professional New Wall paper LG Lively Theme (Wall-paper/ icon) LG Display Extension |
| Connectivity  Battery  AC Adapter  Buttons  LED Indicators  Dimensions  Shipping Dimensions  Weight  Shipping Weight  Color | USB Type A USB Type C HDMI | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2x1 (x2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 x 213.9 x 16.8 mm  12.28 x 8.42 x 0.66 in.  432 x 262 x 60 mm  17.1 x 10.4 x 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/icon)                      | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/ icon)           | 4-Pole 3.5mm Headset Jack  USB 3.2 Gen2×1 (×2)  USB 4 Gen3x2 Type C (x2)  with USB PD, Display Port, Thunderbolt 4  HDMI  72 Wh Li-Ion  MobileMark 2018: 15.5 hr  Video playback: 24.5 hr  JEITA 2.0: 28.5 hr  65W (New, Small size)  2-pole with external 2m USB-C to USB-C 5A cable, Black (Wall-mount I' type, for US)  Power button without Fingerprint  Power, Charging, Caps Lock, webcam  312 × 213.9 × 16.8 mm  12.28 × 8.42 × 0.66 in.  432 × 262 × 60 mm  17.1 × 10.4 × 2.4 in.  999 g  2.2 lbs.  1.9 kg  4.2 lbs.  Obsidian Black  LG On Screen Display 3  Microsoft 365 (30 Days Trial)  Dolby Atmos  Intel® Unision  McAfee Live Safe (30 Days Trial)  Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning  Helper, LG Hotkey Extension)  LG PC Manuals  LG Update & Recovery  LG Glance by Mirametrix®  PCmover Professional  New Wall paper  LG Lively Theme (Wall-paper/icon)            |

<sup>\*</sup>Specifications are subject to change without notice, so please reach LG salesteam to ensure before ordering.

\*\*MobileMark® 2018 standard. Battery life will vary from specifications depending on model, setup configuration, applications used, features utilized and power management settings.

14Z90R-N.APB7U1

#### 14Z90R-N.APC5U1

#### 14Z90R-N.APC3U1

|                       |                     | 14Z90R-N.APB7U1   | 14Z90R-N.APC5U1   | 14Z90R-N.APC3U1  |
|-----------------------|---------------------|---|---|--|
|                       |                     | i7-1360P<br>13th Gen Intel® Core™ Processor<br>with 12 Cores (4P+8E)<br>4 Performance Cores @ 2.2 GHz   | i5-1340P<br>13th Gen Intel® Core™ Processor<br>with 12 Cores (4P+8E)<br>4 Performance Cores @ 1.9 GHz   | i5-1340P<br>13th Gen Intel® Core™ Processor<br>with 12 Cores (4P+8E)<br>4 Performance Cores @ 1.9 GHz  |
| Processor             |                     | with turbo up to 5.0 GHz<br>8 Efficient Cores @ 1.6 GHz   | with turbo up to 4.6 GHz<br>8 Efficient Cores @ 1.4 GHz   | with turbo up to 4.6 GHz<br>8 Efficient Cores @ 1.4 GHz  |
|                       |                     | with turbo up to 3.7 GHz<br>18 MB Intel Smart Cache   | with turbo up to 3.4 GHz<br>12 MB Intel Smart Cache   | with turbo up to 3.4 GHz 12 MB Intel Smart Cache   |
| Operation System      |                     | 18 MB Intel Smart Cacne Windows 11 Pro  | 12 IMB Intel Smart Cache Windows 11 Pro   | 1 2 MB Intel Smart Cacne Windows 11 Pro  |
| Intel vPro®           |                     | NO  | NO  | NO   |
| System Memory         |                     | 16GB LPDDR5<br>(Dual Channel, 6000MHz)  | 8GB LPDDR5<br>(Dual Channel, 6000MHz)   | 8GB LPDDR5<br>(Dual Channel, 6000MHz)  |
| Storage               | SSD                 | 1TB NVMe Gen4<br>M.2(2280) Dual SSD slots   | 512GB NVMe Gen4<br>M.2(2280) Dual SSD slots   | 256GB NVMe Gen4<br>M.2(2280) Dual SSD slots  |
|                       | Diagonal            | 14 in.<br>35.5 cm   | 14 in.<br>35.5 cm   | 14 in.<br>35.5 cm  |
|                       | Resolution          | WUXGA (1920 x 1200)   | WUXGA (1920 x 1200)   | WUXGA (1920 x 1200)  |
| Display               | Ratio<br>Panel Type | 16:10<br>IPS Non Touch  | 16:10<br>IPS Non Touch  | 16:10<br>IPS Non Touch   |
|                       | Refresh Rate        | 60Hz  | 60Hz  | 60Hz   |
|                       | Brightness          | 350 nits<br>DCI-P3 99% (Typical, min 95%)   | 350 nits<br>DCI-P3 99% (Typical, min 95%)   | 350 nits<br>DCI-P3 99% (Typical, min 95%)  |
| Graphics              | Color gamut         | Intel Iris Xe Graphics  | Intel Iris Xe Graphics  | Intel Iris Xe Graphics   |
| Wireless              |                     | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,  | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,  | Intel® Wireless-AX211 (802.11ax, 2x2, Dual Band,   |
| Bluetooth             |                     | BT Combo)<br>BT 5.1   | BT Combo)<br>BT 5.1   | BT Combo)<br>BT 5.1  |
| Webcam                |                     | FHD IR Webcam with Dual Mic (Face recognition)  | FHD IR Webcam with Dual Mic (Face recognition)  | FHD IR Webcam with Dual Mic (Face recognition)   |
| Sound Effect          |                     | HD Audio with Dolby Atmos   | HD Audio with Dolby Atmos   | HD Audio with Dolby Atmos  |
| Speakers              |                     | 1.5W x 2<br>Stereo Speakers   | 1.5W x 2<br>Stereo Speakers   | 1.5W x 2<br>Stereo Speakers  |
| Security              |                     | SSD Security, FTPM/HW TPM(Option),<br>Slim Kensington lock  | SSD Security, fTPM/HW TPM(Option),<br>Slim Kensington lock  | SSD Security, fTPM/HW TPM(Option),<br>Slim Kensington lock   |
| Input                 | Keyboard            | Full Size 79-Key Backlit Keyboard   | Full Size 79-Key Backlit Keyboard   | Full Size 79-Key Backlit Keyboard  |
| Devices               | Pointing Device     | Precision Touch Pad<br>with Scroll and Gesture Functions<br>(111.6 × 69.6 mm)   | Precision Touch Pad<br>with Scroll and Gesture Functions<br>(111.6 × 69.6 mm)   | Precision Touch Pad<br>with Scroll and Gesture Functions<br>(111.6 x 69.6 mm)  |
| Memory Card           | Headphone Out       | Micro SD<br>4-Pole 3.5mm Headset Jack   | Micro SD<br>4-Pole 3.5mm Headset Jack   | Micro SD<br>4-Pole 3.5mm Headset Jack  |
|                       | USB Type A          | USB 3.2 Gen2x1 (x2)   | USB 3.2 Gen2x1 (x2)   | USB 3.2 Gen2x1 (x2)  |
| Connectivity          | USB Type C          | USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4  | USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4  | USB 4 Gen3x2 Type C (x2)<br>with USB PD, Display Port, Thunderbolt 4   |
|                       | HDMI                | HDMI  | HDMI  | HDMI   |
| Battery               |                     | 72 Wh Li-Ion<br>MobileMark 2018: 15.5 hr<br>Video playback: 24.5 hr<br>JEITA 2.0: 28.5 hr   | 72 Wh Li-Ion<br>MobileMark 2018: 15.5 hr<br>Video playback: 24.5 hr<br>JEITA 2.0: 28.5 hr   | 72 Wh Li-Ion<br>MobileMark 2018: 15.5 hr<br>Video playback: 24.5 hr<br>JEITA 2.0: 28.5 hr  |
| AC Adapter            |                     | 65W (New, Small size)<br>2-pole with external 2m USB-C to USB-C 5A cable,<br>Black (Wall-mount 'l' type, for US)  | 65W (New, Small size)<br>2-pole with external 2m USB-C to USB-C 5A cable,<br>Black (Wall-mount 'l' type, for US)  | 65W (New, Small size)<br>2-pole with external 2m USB-C to USB-C 5A cable,<br>Black (Wall-mount 'l' type, for US)   |
| Buttons               |                     | Power Charging Cans Lock, webcam  | Power Charging Cans Lock, webcam  | Power button without Fingerprint Power, Charging, Caps Lock, webcam  |
| LED Indicators        |                     | Power, Charging, Caps Lock, webcam<br>312 x 213.9 x 16.8 mm   | Power, Charging, Caps Lock, webcam<br>312 x 213.9 x 16.8 mm   | Power, Charging, Caps Lock, webcam 312 x 213.9 x 16.8 mm   |
| Dimensions            |                     | 12.28 x 8.42 x 0.66 in.   | 12.28 x 8.42 x 0.66 in.   | 12.28 x 8.42 x 0.66 in.  |
| Shipping Dimensions   |                     | 432 x 262 x 60 mm<br>17.1 x 10.4 x 2.4 in.  | 432 x 262 x 60 mm<br>17.1 x 10.4 x 2.4 in.  | 432 x 262 x 60 mm<br>17.1 x 10.4 x 2.4 in.   |
| Weight                |                     | 999 g<br>2.2 lbs.   | 999 g<br>2.2 lbs.   | 999 g<br>2.2 lbs.  |
| Shipping Weight       |                     | 1.9 kg  | 1.9 kg  | 1.9 kg   |
| Color                 |                     | 4.2 lbs.<br>Obsidian Black  | 4.2 lbs.<br>Charcoal gray   | 4.2 lbs.<br>Charcoal gray  |
| Preinstalled Software |                     | LG On Screen Display 3<br>Microsoft 365 (30 Days Trial)<br>Dolby Atmos<br>Intel® Unision  | LG On Screen Display 3<br>Microsoft 365 (30 Days Trial)<br>Dolby Atmos<br>Intel® Unision  | LG On Screen Display 3<br>Microsoft 365 (30 Days Trial)<br>Dolby Atmos<br>Intel <sup>®</sup> Unision   |
|                       |                     | McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals LG Undate & Bergyeny | McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals LG Undate & Recovery | McAfee Live Safe (30 Days Trial) Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension) LG PC Manuals LG LIndata & Recovery |
|                       |                     | LG Update & Recovery<br>LG Glance by Mirametrix®<br>PCmover Professional<br>New Wall paper<br>LG Lively Theme (Wall-paper/ icon)  | LG Update & Recovery<br>LG Glance by Mirametrix <sup>®</sup><br>PCmover Professional<br>New Wall paper<br>LG Lively Theme (Wall-paper/ icon)  | LG Update & Recovery<br>LG Glance by Mirametrix <sup>®</sup><br>PCmover Professional<br>New Wall paper<br>LG Lively Theme (Wall-paper/ icon)   |
|                       |                     | LG Display Extension<br>LG Security Guard<br>Sync on Mobile   | LG Display Extension<br>LG Security Guard<br>Sync on Mobile   | LG Display Extension LG Security Guard Sync on Mobile  |

<sup>\*</sup>Specifications are subject to change without notice, so please reach LG salesteam to ensure before ordering.

\*\*MobileMark® 2018 standard. Battery life will vary from specifications depending on model, setup configuration, applications used, features utilized and power management settings.

# 14Z90R-Q.APB4U1

# 14Z90R-N.APC4U1

|                       |                 | 14290K-Q.APD401   | 14290R-N.APC401   |  |
|-----------------------|-----------------|---|---|--|
| Processor             |                 | i5-1350P<br>13th Gen Intel® Core™ Processor with 12 Cores (4P+8E)<br>4 Performance Cores @ 1.9 GHz with turbo up to 4.6 GHz<br>8 Efficient Cores @ 1.4 GHz with turbo up to 3.4 GHz | i5-1340P<br>13th Gen Intel® Core™ Processor with 12 Cores (4P+8E)<br>4 Performance Cores @ 1.9 GHz with turbo up to 4.6 GHz<br>8 Efficient Cores @ 1.4 GHz with turbo up to 3.4 GHz |  |
|                       |                 | 12 MB Intel Smart Cache   | 12 MB Intel Smart Cache   |  |
| Operation System      |                 | Windows 11 Pro  | Windows 11 Pro  |  |
| Intel vPro®           |                 | YES   | NO  |  |
|                       |                 | 16GB LPDDR5   | 16GB LPDDR5   |  |
| System Memory         |                 | (Dual Channel, 6000MHz)   | (Dual Channel, 6000MHz)   |  |
| _                     |                 | 256GB NVMe Gen4   | 256GB NVMe Gen4   |  |
| Storage               | SSD             | M.2(2280) Dual SSD slots  | M.2(2280) Dual SSD slots  |  |
|                       | Discount.       | 14 in.  | 14 in.  |  |
|                       | Diagonal        | 35.5 cm   | 35.5 cm   |  |
|                       | Resolution      | WUXGA (1920 x 1200)   | WUXGA (1920 x 1200)   |  |
| Display               | Ratio           | 16:10   | 16:10   |  |
| Display .             | Panel Type      | IPS Non Touch   | IPS Non Touch   |  |
|                       | Refresh Rate    | 60Hz  | 60Hz  |  |
|                       | Brightness      | 350 nits  | 350 nits  |  |
|                       | Color gamut     | DCI-P3 99% (Typical, min 95%)   | DCI-P3 99% (Typical, min 95%)   |  |
| Graphics              |                 | Intel® Wireless AV211   | Intel® Wiseless AV311   |  |
| Wireless              |                 | Intel® Wireless-AX211<br>(802.11ax, 2x2, Dual Band, BT Combo)   | Intel® Wireless-AX211<br>(802.11ax, 2x2, Dual Band, BT Combo)   |  |
| Bluetooth             |                 | BT 5.1  | BT 5.1  |  |
| Webcam                |                 | FHD IR Webcam with Dual Mic (Face recognition)  | FHD IR Webcam with Dual Mic (Face recognition)  |  |
| Sound Effect          |                 | HD Audio with Dolby Atmos   | HD Audio with Dolby Atmos   |  |
|                       |                 | 1.5W x 2  | 1.5W x 2  |  |
| Speakers              |                 | Stereo Speakers   | Stereo Speakers   |  |
|                       |                 | SSD Security, fTPM/HW TPM,  | SSD Security, fTPM/HW TPM,  |  |
| Security              |                 | Slim Kensington lock  | Slim Kensington lock  |  |
|                       | Keyboard        | Full Size 79-Key Backlit Keyboard   | Full Size 79-Key Backlit Keyboard   |  |
| Input<br>Devices      | Pointing Device | Precision Touch Pad w/ Scroll and Gesture Function (size: 111.6 x 69.6mm)   | Precision Touch Pad w/ Scroll and Gesture Function (size: 111.6 x 69.6mm)   |  |
| Memory Card           |                 | Micro SD  | Micro SD  |  |
|                       | Headphone Out   | 4-Pole 3.5mm Headset Jack   | 4-Pole 3.5mm Headset Jack   |  |
|                       | USB Type A      | USB 3.2 Gen2x1 (x2)   | USB 3.2 Gen2x1 (x2)   |  |
| Connectivity          | USB Type C      | USB 4 Gen3x2 Type C (x2, with USB PD, Display Port, Thunderbolt 4)  | USB 4 Gen3x2 Type C (x2, with USB PD, Display Port, Thunderbolt 4)  |  |
|                       | HDMI            | HDMI  | HDMI  |  |
|                       |                 | 72 Wh Li-lon  | 72 Wh Li-lon  |  |
| Battery               |                 | MobileMark 2018: 15.5 hr<br>Video playback: 24.5 hr   | MobileMark 2018: 15.5 hr<br>Video playback: 24.5 hr   |  |
| AC Adapter            |                 | 65W (New, Small size) 2pole with external C to C 2m/5A cable, White/Black<br>(Wall-mount 'l' type, for US/CA/JP/TW)   | 65W (New, Small size) 2pole with external C to C 2m/5A cable, White/Black<br>(Wall-mount 'l' type, for US/CA/JP/TW)   |  |
| Buttons               |                 | Power button without Fingerprint  | Power button without Fingerprint  |  |
| LED Indicators        |                 | Power, Charging, Caps Lock, webcam  | Power, Charging, Caps Lock, webcam  |  |
| Dimensions            |                 | 312 x 213.9 x 16.8 mm   | 312 x 213.9 x 16.8 mm   |  |
|                       |                 | 12.28 x 8.42 x 0.66 in.   | 12.28 x 8.42 x 0.66 in.   |  |
| Shipping Dimensions   |                 | 432 x 262 x 60 mm<br>17.1 x 10.4 x 2.4 in.  | 432 x 262 x 60 mm<br>17.1 x 10.4 x 2.4 in.  |  |
|                       |                 | 999 g   | 999 g   |  |
| Weight                |                 | 2.2 lbs.  | 2.2 lbs.  |  |
| CI.                   |                 | 1.9 kg  | 1.9 kg  |  |
| Shipping Weight       |                 | 4.2 lbs.  | 4.2 lbs.  |  |
| Color                 |                 | Obsidian Black  | Charcoal gray   |  |
| Preinstalled Software |                 | LG On Screen Display 3<br>Microsoft 365 (30 Days Trial)   | LG On Screen Display 3<br>Microsoft 365 (30 Days Trial)   |  |
|                       |                 | Dolby Atmos   | Dolby Atmos   |  |
|                       |                 | Intel® Unision  | Intel® Unision  |  |
|                       |                 | McAfee Live Safe (30 Days Trial)  | McAfee Live Safe (30 Days Trial)  |  |
|                       |                 | Intel® Connectivity Performance Suite  LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension)  | Intel® Connectivity Performance Suite LG Smart Assistant 2.0 ( Add feature : LG Cleaning Helper, LG Hotkey Extension)   |  |
|                       |                 | LG Smart Assistant 2.0 ( Add readine : LG Cleaning Fielper, LG Flotkey Extension)  LG PC Manuals  | LG 90 Manuals   |  |
|                       |                 | LG Update & Recovery  | LG Update & Recovery  |  |
|                       |                 | LG Glance by Mirametrix®  | LG Glance by Mirametrix®  |  |
|                       |                 | PCmover Professional  | PCmover Professional  |  |
|                       |                 | New Wall paper  | New Wall paper  |  |
|                       |                 | LG Lively Theme (Wall-paper/ icon)<br>LG Display Extension  | LG Lively Theme (Wall-paper/ icon)<br>LG Display Extension  |  |
|                       |                 | LG Display Extension  LG Security Guard   | LG Display Extension  LG Security Guard   |  |
|                       |                 | Sync on Mobile  | Sync on Mobile  |  |
|                       |                 |   |   |  |

<sup>\*</sup>Specifications are subject to change without notice, so please reach LG salesteam to ensure before ordering.

<sup>\*\*</sup>MobileMark® 2018 standard. Battery life will vary from specifications depending on model, setup configuration, applications used, features utilized and power management settings.



f http:s//www.facebook.com/LGcommercialdisplays

n http:s//www.linkedin.com/company/lg-commercial-displays-usa

 http:s//www.youtube.com/lgcommercialdisplayusa 800.897.8726

© Copyright 2023 ©LG Electronics USA, Inc. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other trademarks are the property of their respective owners. Prices, promotions, and availability may vary by dealer. The information contained herein is subject to change without notice. All screen images are simulated. SPEC\_14Z90R Series gram\_072345\_LR



