

The LG DVLED Ultimate Business Display

One display. Brilliantly simple. Utterly breathtaking.

2K FULLHD

81" - 217"

dual2K Ultra Stretch

147" - 393"

4K ULTRAHD

136" - 325"

dual4K Ultra Stretch

294" - 589"

8K XHD

271" - 325"

TEAMS 21:9

102" - 205"

BOXED SET

136" - 163"



THE DISPLAY

All parts and components in one ready-to-assemble bundle

- LG direct view LED panels
- 4K LG controller
- 5% Spare modules*
- Spare boards and parts
- Service tool

LG webOS™

- Intuitive on-screen user interface
- Embedded content manager and media player

Screen sharing

- Miracast
- WiDi

Onboard CMS

- Large volume flash storage
- Store, schedule, playback

Mounting Kit Included

- Basic wall mount configuration for standard models
- Precision cut specifically for each model

Trim Kits Included on Select Models

- Provides finished look around the edges of the display

* LABA015 includes 7% Spare modules

THE SERVICES

On-site Field Support

- Up to 3-Days Training by an LG Field Engineer
- Educational webinar prior to installation
- Certified LG Pixel Surgeon will be on-site to remove/replace any pixels that may have been damaged during the installation process**

3 years LG TotalCare Health Checks

- Annual on-site display health check by LG Pixel Surgeon
- Examine Pixel Health and Perform On-Site Repair of Damaged Pixels
- Inspect for Proper System Configuration and Physical Connections
- Initiate expedited priority on any needed RMA services

3 years LG ConnectedCare® System Surveillance

- ConnectedCare Solution Software subscription
- Optional LG professional remote monitoring service

Warranty Service

- 3 year limited manufacturer warranty
- Optional LG ExtendedCare warranty for up to 5 years

** Pixel surgeon only applies for indoor installations with SMD pixel packages from 0.9mm to 3.9mm.

THE PACKAGING

LG Branded Flight Case***

- Every LG direct view LED display with SMD pixel technology ships in a new, branded, wheeled flight case
- Premium-grade protection for each stunning display
- No more searching to make sure you received every box
- No forklifts or pallet jacks required, simply roll the cases in to your space



*** Flight case sizes and quantities may vary.

Full HD Ultimate Business Display

| 2K Full HD Ultimate Business Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|--------------------------------------|-------------|---------------|-------------|-------------|---|---|----------------------|---|----------------|------------------------------|
| 2K Full HD 81" | LSAB-F081C | No | COB | 0.94 mm | 3 x 3 (9 Panels) 1920 x 1080 | 600 nits 540 Watts | 5-7 feet | 5.9 x 3.3 x 0.2 ft. 70.9 x 39.9 x 1.8 in. 1801 x 1013 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSAB-F081GV | Yes | | | | 600 nits 540 Watts | | | | |
| | LSBB-F081C | No | Single SMD | | | 600 nits 1260 Watts | | | Front | webOS 4.0 CVBA |
| 2K Full HD 108" | LSAB-F108GV | Yes | COB | 1.25 mm | 4 x 4 (16 Panels) 1920 x 1080 | 800 nits 960 Watts | 6-9 feet | 7.9 x 4.4 x 0.2 ft. 94.5 x 53.1 x 1.8 in. 2400 x 1349 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSCB-F108C | No | Single SMD | | 4 x 4 (16 Panels) 1920 x 1080 | 800 nits 2400 Watts | | 7.9 x 4.4 x 0.1 ft. 94.5 x 53.1 x 1.3 in. 2400 x 1349 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-F108C | | | | 600 nits 1920 Watts | 7.9 x 4.4 x 0.2 ft. 94.5 x 53.1 x 2.8 in. 2400 x 1349 x 71 mm | | webOS 4.0 CVBA | | |
| | LSBF-F108GV | Yes | | | 2 x 2 (4 Panels) 1920 x 1080 | 600 nits 2320 Watts | | | | |
| 2K Full HD 136" | LSCB-F136C | No | Single SMD | 1.56 mm | 5 x 5 (25 Panels) 1920 x 1080 | 800 nits 3750 Watts | 8-11 feet | 9.8 x 5.5 x 0.1 ft. 118.1 x 66.4 x 1.3 in. 3000 x 1687 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-F136C | | | | | 600 nits 3000 Watts | | 9.8 x 5.5 x 0.2 ft. 118.1 x 66.4 x 2.2 in. 3000 x 1687 x 56 mm | | webOS 4.0 CVBA |
| | LSBE-F136GV | Yes | | | | 600 nits 2675 Watts | | 9.8 x 5.5 x 0.2 ft. 118.1 x 66.4 x 2.8 in. 3000 x 1687 x 71 mm | | |
| 2K Full HD 163" | LSCB-F163C | No | Single SMD | 1.88 mm | 6 x 6 (36 Panels) 1920 x 1080 | 800 nits 5400 Watts | 9-13 feet | 11.8 x 6.6 x 0.1 ft. 141.7 x 79.7 x 1.3 in. 3599 x 2024 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-F163C | | | | | 600 nits 4320 Watts | | 11.8 x 6.6 x 0.2 ft. 141.7 x 79.7 x 2.2 in. 3599 x 2024 x 56 mm | | webOS 4.0 CVBA |
| | LSBF-F163GV | Yes | | | 3 x 3 (9 Panels) 1920 x 1080 | 600 nits 4590 Watts | | 11.8 x 6.6 x 0.2 ft. 141.7 x 79.7 x 2.8 in. 3599 x 2024 x 71 mm | | |
| 2K Full HD 217" | LSCB-F217C | No | Single SMD | 2.50 mm | 8 x 8 (64 Panels) 1920 x 1080 | 800 nits 6400 Watts | 13-18 feet | 15.8 x 8.9 x 0.1 ft. 189 x 106.3 x 1.3 in. 4801 x 2700 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBF-F217GV | Yes | | | 4 x 4 (16 Panels) 1920 x 1080 | 600 nits 7360 Watts | | 15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 2.8 in. 4801 x 2700 x 71 mm | | webOS 4.0 CVBA |

Dual 2K FHD Ultimate Business Display

| Dual 2K FHD Ultimate Business Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|---------------------------------------|-------------|---------------|------------------------------|-------------|---|--------------------------------------|----------------------|---|----------------|------------------------------|
| Dual 2K Full HD 147" | LSAB-G147C | No | COB | 0.94 mm | 6 x 3 (18 Panels) 3840 x 1080 | 600 nits 1080 Watts | 5-7 feet | 11.8 x 3.3 x 0.2 ft. 141.7 x 39.9 x 1.8 in. 3599 x 1013 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSAB-G147GV | Yes | | | | 600 nits 1080 Watts | | | | |
| | LSBB-G147C | No | Single SMD | | | 600 nits 2520 Watts | | | Front | webOS 4.0 CVBA |
| Dual 2K Full HD 196" | LSAB-G196GV | Yes | COB | 1.25 mm | 8 x 4 (32 Panels) 3840 x 1080 | 800 nits 1920 Watts | 6-9 feet | 15.8 x 4.4 x 0.2 ft. 189 x 53.1 x 1.8 in. 4801 x 1349 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSCB-G196C | No | Single SMD | | | 800 nits 4800 Watts | | 15.8 x 4.4 x 0.1 ft. 189 x 53.1 x 1.3 in. 4801 x 1349 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-G196C | | | | | 600 nits 3840 Watts | | 15.8 x 4.4 x 0.2 ft. 189 x 53.1 x 2.2 in. 4801 x 1349 x 56 mm | | webOS 4.0 CVBA |
| | LSBF-G196GV | Yes | 4 x 2 (8 Panels) 3840 x 1080 | | | 600 nits 4640 Watts | | 15.8 x 4.4 x 0.2 ft. 189 x 53.1 x 2.8 in. 4801 x 1349 x 71 mm | | |
| Dual 2K Full HD 245" | LSCB-G245C | No | Single SMD | 1.56 mm | 10 x 5 (50 Panels) 3840 x 1080 | 800 nits 7500 Watts | 8-11 feet | 19.7 x 5.5 x 0.1 ft. 236.2 x 66.4 x 1.3 in. 5999 x 1687 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-G245C | | | | | 600 nits 6000 Watts | | 19.7 x 5.5 x 0.2 ft. 236.2 x 66.4 x 2.2 in. 5999 x 1687 x 56 mm | | webOS 4.0 CVBA |
| | LSBE-G245GV | Yes | | | | 600 nits 5350 Watts | | 19.7 x 5.5 x 0.2 ft. 236.2 x 66.4 x 2.8 in. 5999 x 1687 x 71 mm | | |
| Dual 2K Full HD 294" | LSCB-G294C | No | Single SMD | 1.88 mm | 12 x 6 (72 Panels) 3840 x 1080 | 800 nits 10800 Watts | 9-13 feet | 23.6 x 6.6 x 0.1 ft. 283.5 x 79.7 x 1.3 in. 7201 x 2024 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-G294C | | | | | 600 nits 8640 Watts | | 23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 2.2 in. 7201 x 2024 x 56 mm | | webOS 4.0 CVBA |
| | LSBF-G294GV | Yes | | | 6 x 3 (18 Panels) 3840 x 1080 | 600 nits 9180 Watts | | 23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 2.8 in. 7201 x 2024 x 71 mm | | |
| Dual 2K Full HD 393" | LSCB-G393C | No | Single SMD | 2.50 mm | 16 x 8 (128 Panels) 3840 x 1080 | 800 nits 12800 Watts | 13-18 feet | 31.5 x 8.9 x 0.1 ft. 378 x 106.3 x 1.3 in. 9601 x 2700 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBF-G393GV | Yes | | | 8 x 4 (32 Panels) 3840 x 1080 | 600 nits 14720 Watts | | 31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 2.8 in. 9601 x 2700 x 71 mm | | |

Ultra HD Ultimate Business Display

| Ultra HD Ultimate Business Display | SKU | TAA Compliant | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|------------------------------------|-------------|---------------|-------------------------------|-------------|---|---|----------------------|---|----------------|---|
| 4K Ultra HD 136" | LSAB-U136GV | Yes | COB | 0.7 mm | 5 x 5 (25 Panels) 3840 x 2160 | 500 nits 1500 Watts | 4-5 feet | 9.8 x 5.5 x 0.2 ft. 118.1 x 66.4 x 1.8 in. 3000 x 1687 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| 4K Ultra HD 163" | LSAB-U163GV | Yes | COB | 0.94 mm | 6 x 6 (36 Panels) 3840 x 2160 | 600 nits 2160 Watts | 5-7 feet | 11.8 x 6.6 x 0.2 ft. 141.7 x 79.7 x 1.8 in. 3599 x 2024 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSAB-U163C | No | | | | 600 nits 2160 Watts | | | | |
| | LSBB-U163C | | Single SMD | | | 600 nits 5040 Watts | | Front | webOS 4.0 CVBA | |
| 4K Ultra HD 217" | LSAB-U217GV | Yes | COB | 1.25 mm | 8 x 8 (64 Panels) 3840 x 2160 | 800 nits 3840 Watts | 6-9 feet | 15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 1.8 in. 4801 x 2700 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSCB-U217C | No | Single SMD | | 8 x 8 (64 Panels) 3840 x 2160 | 800 nits 9600 Watts | | 15.8 x 8.9 x 0.1 ft. 189 x 106.3 x 1.3 in. 4801 x 2700 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-U217C | | | | 600 nits 7680 Watts | 15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 2.2 in. 4801 x 2700 x 56 mm | | webOS 4.0 CVBA | | |
| | LSBF-U217GV | Yes | 4 x 4 (16 Panels) 3840 x 2160 | | 600 nits 9280 Watts | 15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 2.8 in. 4801 x 2700 x 71 mm | | | | |
| 4K Ultra HD 271" | LSCB-U271C | No | Single SMD | 1.56 mm | 10 x 10 (100 Panels) 3840 x 2160 | 800 nits 15000 Watts | 8-11 feet | 19.7 x 11.1 x 0.1 ft. 236.2 x 132.9 x 1.3 in. 5999 x 3376 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-U271C | | | | 600 nits 12000 Watts | 19.7 x 11.1 x 0.2 ft. 236.2 x 132.9 x 2.2 in. 5999 x 3376 x 56 mm | | webOS 4.0 CVBA | | |
| | LSBF-U271GV | Yes | | | 5 x 5 (25 Panels) 3840 x 2160 | 600 nits 13250 Watts | | | | 19.7 x 11.1 x 0.2 ft. 236.2 x 132.9 x 2.8 in. 5999 x 3376 x 71 mm |
| 4K Ultra HD 325" | LSCB-U325C | No | Single SMD | | 12 x 12 (144 Panels) 3840 x 2160 | 800 nits 21600 Watts | 9-13 feet | 23.6 x 13.3 x 0.1 ft. 283.5 x 159.4 x 1.3 in. 7201 x 4049 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-U325C | | | | 600 nits 17280 Watts | 23.6 x 13.3 x 0.2 ft. 283.5 x 159.4 x 2.2 in. 7201 x 4049 x 56 mm | | webOS 4.0 CVBA | | |

Dual 4K UHD Ultimate Business Display

| Ultra HD Ultimate Business Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU | |
|------------------------------------|-------------|---------------|-------------------------------------|-------------|---|---|----------------------|--|----------------|--|-------------------|
| Dual 4K UHD 294" | LSAB-V294C | No | COB | 0.94 mm | 12 x 6 (72 Panels) 7680 x 2160 | 600 nits 4320 Watts | 5-7 feet | 23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 1.8 in. 7201 x 2024 x 46 mm | Front and Rear | webOS 4.1 CSAD | |
| | LSAB-V294GV | Yes | | | | 600 nits 4320 Watts | | | | | |
| | LSBB-V294C | No | Single SMD | | | 600 nits 10080 Watts | | 23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 2.2 in. 7201 x 2024 x 56 mm | Front | webOS 4.0 CVBA | |
| Dual 4K UHD 393" | LSAB-V393GV | Yes | COB | 1.25 mm | 16 x 8 (128 Panels) 7680 x 2160 | 800 nits 7680 Watts | 6-9 feet | 31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 1.8 in. 9601 x 2700 x 46 mm | Front and Rear | webOS 4.1 CSAD | |
| | LSCB-V393C | No | Single SMD | | | 800 nits 19200 Watts | | 31.5 x 8.9 x 0.1 ft. 378 x 106.3 x 1.3 in. 9601 x 2700 x 33 mm | Front | webOS 4.0 CVCA | |
| | LSBB-V393C | | | | | 600 nits 15360 Watts | | 31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 2.2 in. 9601 x 2700 x 56 mm | | | |
| | LSBF-V393GV | Yes | 8 x 4 (32 Panels) 7680 x 2160 | | | 600 nits 18560 Watts | | 31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 2.8 in. 9601 x 2700 x 71 mm | | | |
| Dual 4K UHD 490" | LSCB-V490C | No | Single SMD | 1.56 mm | 20 x 10 (200 Panels) 7680 x 2160 | 800 nits 30000 Watts | 8-11 feet | 39.4 x 11.1 x 0.1 ft. 472.4 x 132.9 x 1.3 in. 11999 x 3376 x 33 mm | Front | webOS 4.0 CVCA | |
| | LSBB-V490C | | | | | 600 nits 24000 Watts | | 39.4 x 11.1 x 0.2 ft. 472.4 x 132.9 x 2.2 in. 11999 x 3376 x 56 mm | | webOS 4.0 CVBA | |
| | LSBF-V490GV | Yes | | | | 10 x 5 (50 Panels) 7680 x 2160 | | 600 nits 26500 Watts | | 39.4 x 11.1 x 0.2 ft. 472.4 x 132.9 x 2.8 in. 11999 x 3376 x 71 mm | |
| Dual 4K UHD 589" | LSCB-V589C | No | Single SMD | 1.88 mm | 24 x 12 (288 Panels) 7680 x 2160 | 800 nits 43200 Watts | 9-13 feet | 47.2 x 13.3 x 0.2 ft. 566.9 x 159.4 x 2.8 in. 14399 x 4049 x 71 mm | Front | webOS 4.0 CVCA | |
| | LSBF-V589GV | Yes | | | | 12 x 6 (72 Panels) 7680 x 2160 | | 600 nits 36720 Watts | | 47.2 x 13.3 x 0.2 ft. 566.9 x 159.4 x 2.8 in. 14399 x 4049 x 71 mm | webOS 4.0 CVBA |
| | LSBB-V589C | No | | | | 24 x 12 (288 Panels) 7680 x 2160 | | 600 nits 34560 Watts | | 47.2 x 13.3 x 0.2 ft. 566.9 x 159.4 x 2.2 in. 14399 x 4049 x 56 mm | |

8K XHD Ultimate Business Display

| 8K XHD Ultimate Business Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|----------------------------------|-------------|---------------|-------------|-------------|---|--------------------------------------|----------------------|---|----------------|------------------------------|
| 8K XHD 271" | LSAB-X271GV | Yes | COB | 0.7 mm | 10 x 10 (100 Panels) 7680 x 4320 | 500 nits 6000 Watts | 4-5 feet | 19.7 x 11.1 x 0.2 ft. 236.2 x 132.9 x 1.8 in. 5999 x 3376 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSAB-X325C | No | COB | 0.94 mm | 12 x 12 (144 Panels) 7680 x 4320 | 600 nits 8640 Watts | 5-7 feet | 23.6 x 13.3 x 0.2 ft. 283.5 x 159.4 x 1.8 in. 7201 x 4049 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| 8K XHD 325" | LSAB-X325GV | Yes | | | 12 x 12 (144 Panels) 7680 x 4320 | 600 nits 8640 Watts | | | | |

Teams 21:9 Ultimate Business Display

| Teams 21:9 Ultimate Business Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|--------------------------------------|--------------|---------------|------------------------------|-------------|---|--------------------------------------|----------------------|---|---|------------------------------|
| 2K FHD Teams 102" (2560 x 1080) | LSAB-T102GV | Yes | COB | 0.94 mm | 4 x 3 (12 Panels) 2560 x 1080 | 600 nits 720 Watts | 5-7 feet | 7.9 x 3.3 x 0.2 ft. 94.5 x 39.9 x 1.8 in. 2400 x 1013 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSAB-TEAM102 | No | | | | 600 nits 720 Watts | | 7.9 x 3.3 x 0.2 ft. 94.5 x 39.9 x 1.8 in. 2400 x 1013 x 46 mm | | |
| | LSBB-TEAM102 | | Single SMD | | | 600 nits 1680 Watts | | 7.9 x 3.3 x 0.2 ft. 94.5 x 39.9 x 2.2 in. 2400 x 1013 x 56 mm | Front | webOS 4.0 CVBA |
| 2K FHD Teams 151" (2880 x 1080) | LSAB-T151GV | Yes | COB | 1.25 mm | 6 x 4 (24 Panels) 2880 x 1080 | 800 nits 1440 Watts | 6-9 feet | 11.8 x 4.4 x 0.2 ft. 141.7 x 53.1 x 1.8 in. 3599 x 1349 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| | LSCB-TEAM151 | No | Single SMD | | | 800 nits 3600 Watts | | 11.8 x 4.4 x 0.1 ft. 141.7 x 53.1 x 1.3 in. 3599 x 1349 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-TEAM151 | | | | | 600 nits 2880 Watts | | 11.8 x 4.4 x 0.2 ft. 141.7 x 53.1 x 2.2 in. 3599 x 1349 x 56 mm | | webOS 4.0 CVBA |
| | LSBF-T151GV | Yes | 3 x 2 (6 Panels) 2880 x 1080 | | | 600 nits 3480 Watts | | 11.8 x 4.4 x 0.2 ft. 141.7 x 53.1 x 2.8 in. 3599 x 1349 x 71 mm | | |
| 5K FHD Teams 178" (5376 x 2160) | LSAB-T178GV | Yes | COB | 0.7 mm | 7 x 5 (35 Panels) 5376 x 2160 | 500 nits 2100 Watts | 4-5 feet | 13.8 x 5.5 x 0.2 ft. 165.4 x 66.4 x 1.8 in. 4201 x 1687 x 46 mm | Front and Rear | webOS 4.1 CSAD |
| 2K FHD Teams 178" (2688 x 1080) | LSCB-TEAM178 | No | Single SMD | 1.56 mm | 7 x 5 (35 Panels) 2688 x 1080 | 800 nits 5250 Watts | 8-11 feet | 13.8 x 5.5 x 0.1 ft. 165.4 x 66.4 x 1.3 in. 4201 x 1687 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-TEAM178 | | | | | 600 nits 4200 Watts | | 13.8 x 5.5 x 0.2 ft. 165.4 x 66.4 x 2.2 in. 4201 x 1687 x 56 mm | | webOS 4.0 CVBA |
| | LSBE-T178GV | Yes | | | | 600 nits 3735 Watts | | 13.8 x 5.5 x 0.2 ft. 165.4 x 66.4 x 2.8 in. 4201 x 1687 x 71 mm | | |
| 2K FHD Teams 205" (2560 x 1080) | LSCB-TEAM205 | No | Single SMD | 1.88 mm | 8 x 6 (48 Panels) 2560 x 1080 | 800 nits 7200 Watts | 9-13 feet | 15.8 x 6.6 x 0.1 ft. 189 x 79.7 x 1.3 in. 4801 x 2024 x 33 mm | Front | webOS 4.0 CVCA |
| | LSBB-TEAM205 | | | | | 600 nits 5760 Watts | | 15.8 x 6.6 x 0.2 ft. 189 x 79.7 x 2.2 in. 4801 x 2024 x 56 mm" | | webOS 4.0 CVBA |
| | LSBF-T205GV | Yes | | | | 4 x 3 (12 Panels) 2560 x 1080 | | 600 nits 6120 Watts | 15.8 x 6.6 x 0.2 ft. 189 x 79.7 x 2.8 in. 4801 x 2024 x 71 mm | |

The LG DVLED All-in-One Series

Easy to Order, Easy to Ship, Easy to Install



LG offers an even simpler way to purchase a Direct View LED screen. Our All-in-One series ships in different varieties that include built-in speakers, embedded controller and wall mount system. The LG Boxed Set Display features the following features and benefits:

THE DISPLAY

Key Differentiators from the Ultimate Business Display

- Built-in Speaker
- Built-in DVLED Controller
- Faster & Simpler Installation
- Ships in Single Wheeled Box

Hardware

- 7% Spare Modules for LABA
- 5% Spare Modules for LAAA
- Spare boards and parts
- 4K LG Controller

Features

- Screen Sharing (Miracast/WiDi)
- LG webOS User Interface
- 3.6GB Flash Storage

THE BENEFITS

Accessories

- Basic Wall Mount Kit Included*
- Trim Kits Included
- Custom Wheeled Box

Warranty

- 3 Year Limited Included
- Up to 2 Additional Years with ExtendedCare Purchase

TotalCare Health Checks

- 3 Years Included

ConnectedCare Subscription

- 3 Years Included

On-Site Field Support

- 1 Day Included for FHD Systems
- 2 Days Included for UHD Systems

| All-in-One Series: LG Boxed Set Display | SKU | TAA Complaint | LED Package | Pixel Pitch | Panel Array W x H (Panel Quantity) Resolution | Max Brightness Max Power Consumption | Min Viewing Distance | Dimensions (W x H x D) | Service Access | webOS Version Controller SKU |
|--|-------------|------------------|----------------|----------------|---|--|----------------------------|---|-------------------|---------------------------------------|
| 2K FHD 136" (1920x1080) MicroLED Extendable Boxed Set | LAAA-F136GV | Yes | COB | 1.56 mm | 5 x 1 (5 Panels) 1920 x 1080 | 500 nits 1050 Watts | 8-11 feet | 9.9 x 5.6 x 0.2 ft. 118.3 x 66.6 x 2.3 in. 3004 x 1692 x 58 mm | Front | webOS 4.1 Embedded |
| 4K FHD 136" (3840x2160) MicroLED Extendable Boxed Set | LAAA-U136GV | | | 0.78 mm | 5 x 1 (5 Panels) 3840 x 2160 | 500 nits 1450 Watts | 4-5 feet | | | |
| 4K FHD 163" (3840x2160) MicroLED Extendable Boxed Set | LAAA-U163GV | | | 0.94mm | | | 5-7 feet | 11.8 x 6.6 x 0.26 ft 141.9 x 79.9 x 3.2 in. 3604 x 2029 x 81 mm | | |
| 2K FHD 136" (1920x1080) Boxed Set | LABA-F136GV | | SMD | 1.58 mm | 5 Columns of 5 Panels (Columns are Pre-assembled) 1920 x 1080 | 500 nits 1600 Watts | 8-11 feet | 9.8 x 5.5 x 0.3 ft. 118.1 x 66.4 x 3.2 in. 3000 x 1687 x 81 mm | Front or Rear | |

*Basic Wall Mount and Trim Kit are included in All-in-One systems. Additional mount and trim components are needed if Display Stacking/Expansion is used.

