## **LG** STUDIO

2013 COLLECTION

## LSES302ST

#### Premium Electric Slide-In Range





### Award Winning Style & Design

#### **COOKING PERFORMANCE**

- 5.4 cu. ft. Large Oven Capacity
- 1.0 cu. ft. Baking Drawer Capacity
- Dual True Convection System
  - Convection Bake
  - Convection Roast
  - Healthier Roast
- 5 Expandable Radiant Cooktop Elements with Warming Zone
- Matching High End Knobs
- SmoothTouch™ Glass Controls

#### STYLE AND DESIGN

- Premium Stainless Steel Finish
- Slide-In Design
- WideView™ Window
- Brilliant Blue Interior
- Stainless Steel Cooktop Trim

#### CONVENIENCE

- Heavy-Duty Gliding Rack, Split Rack, and Full Racks with 7 positions
- GoCook™ Oven Light
- 12 Hr Automatic Shut Off
- Self-Cleaning

# LG STUDIO

**EXTRA LARGE CAPACITY** With one of the largest oven capacities available, at 5.4 cu. ft., LG's ranges provide more space for cooking large meals for families.


**DUAL TRUE CONVECTION** Two fans combined with two built-in heating elements provide 30% faster preheat time\* with the added benefits of even heat distribution for overall uniform baking and roasting.

- Convection Bake provides more even heat distribution and results when baking simultaneously on multiple racks.
- Convection Roast is great for large, tender cuts of meat because heat circulates more evenly around all sides for thorough cooking.

**BRILLIANT BLUE INTERIOR** Every LG electric range boasts an elegant brilliant blue interior cavity for an added touch of sophistication.

AWARD WINNING STYLE AND DESIGN Combined with stylish controls and the signature LG design, this electric slide-in style range is a perfect fit for the aesthetically conscious consumer.

 $^{\ast}$  Based on testing results comparing a standard LG convection range to the dual convection range (325°F) mode.



#### INSTALLATION REFERENCE



TYPE	
Туре	Electric Slide-In
Oven/Cooktop	SmoothTouch™/Knobs
FEATURES	Shiddinidden /hildda
Display	VFD
Electronic Clock & Timer	•
Control Lock Function	
Audible Preheat Signal	
Special Functions	Temperature Unit of Measure (F/C)
Special runctions	Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
Door Lock	•
COOKTOP SPECIFICATIONS	
Туре	Radiant
No. of Radiant Element	5
Warming Zone	•
Element Size and Wattage	
Left Front	6", 9"/1400W & 3000W
Left Rear	6"/1200W
Center Rear (Warming Zone)	6"/100W
Right Front	6", 9", 12"/1100W, 2200W, 3000W
Right Rear	6"/1200W
OVEN SPECIFICATIONS	3712000
Capacity	5.4 cu. ft.
Туре	Self-Cleaning
Variable Cleaning Time	2hr, 3hr, 4hr
Delay Clean	211, 311, 111
Broil Element	6 Pass/4000W
Bake Element	Hidden 6 Pass/3400W
Delay Bake	12 Hours
Convection System	Dual True Convection
-Convection Bake	Dual file convection
-Convection Bake	
-Healthier Roast Convection	•
Convection Conversion	
Automatic Shut-Off	After 12 Hours
WideView <sup>™</sup> Window	Aller 12 Hours
GoCook™ Smart Oven Light	
Interior Oven Light Adjustment	2, Auto/Manual
No. of Racks/Positions	2 Full, 1 Gliding, 1 Split/7
DRAWER	2 Full, Following, Fopin, F
Capacity	1.0 cu. ft.
Туре	Bake Drawer
MATERIALS/FINISHES	Dake Drawer
Available Colors	Stainless Steel (ST)
Oven Interior	Brilliant Blue
Knobs	Matching Metal
Handles	Matching Commercial Handle
DIMENSIONS	Marching Commercial Handle
Width	29 7/8"
	36"
Height (to top of cooktop) Depth (including door)	26 3/8"
Depth (including door) Depth (including handle)	20 3/8 28 7/8"
Oven Capacity (WxHxD)	26 7/8 24 1/2" x 19 11/16" x 19 3/8"
	22 1/2 x 19 11/16 x 19 5/6 22 1/4" x 5" x 16 1/2"
Drawer (WxHxD) WidoViow™ Window (W/xH)	
WideView™ Window (WxH)	20 1/4" x 12 1/4"
Net Weight	181 lbs.
POWER SOURCE	120/240 VAC 120/200 VAC
Electrical Requirements	120/240 VAC, 120/208 VAC,
	15.3kW/40A, 11.5kW/40A
ADDITIONAL ACCESSORIES	
Broil Pan, Meat Probe	•
UPC CODE	

UPC CODE LSES302ST Stainless Steel

048231 316705